

SAFETY DATA SHEET MYSTROL

SECTION 1: Identification of t	ne substance/mixture and of the company/undertaking
1.1. Product identifier	
Product name	MYSTROL
Product number	A042 EV
Internal identification	Janitorial
1.2. Relevant identified uses of	f the substance or mixture and uses advised against
Identified uses	Alkaline Liquid Hard Surface Cleaner. & Degreaser
1.3. Details of the supplier of t	he safety data sheet
Supplier	Evans Vanodine Europe 6-9 Trinity Street, Dublin 2. D02 EY47. Republic of Ireland.
Manufacturer	Evans Vanodine International plc Brierley Road Walton Summit Preston. UK. PR5 8AH Tel: 01772 322 200 e-mail: productcompliance@evansvanodine.co.uk
1.4. Emergency telephone nur	nber
Emergency telephone	New Safety Data Sheets - 01772 322 200 - Mon to Thur. 8.30am to 4.30pm - Fri 8.30am to 1.30pm (Also available 24/7 from our website www.evansvanodine.co.uk) For Technical Advice about this SDS - 01772 318 818 - Mon to Thur 8.30am to 4.45pm - Fri 8.30am to 1.30pm
National emergency telephone number	 For Health Care Professionals only - For use in UK: Contact the National Poisons Information Service for further advice. For use in the Republic of Ireland: To report a poisoning incident contact The National Poisons Information Centre, Beaumont Hospital, Dublin (01-8092166). For use in Malta: Emergency services (Ambulance, Fire and Rescue, Police) : 112
SECTION 2: Hazards identification	
2.1. Classification of the substance or mixture Classification (EC 1272/2008)	

Classification (EC 1272/2008)	
Physical hazards	Not Classified
Health hazards	Skin Irrit. 2 - H315 Eye Dam. 1 - H318
Environmental hazards	Aquatic Chronic 3 - H412
2.2. Label elements	

Hazard pictograms



Signal word	Danger
Hazard statements	H315 Causes skin irritation. H318 Causes serious eye damage. H412 Harmful to aquatic life with long lasting effects. EUH208 Contains LIMONENE. May produce an allergic reaction.
Precautionary statements	 P102 Keep out of reach of children. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P301 IF SWALLOWED: P313 Get medical advice/ attention. P302+P352 IF ON SKIN: Wash with plenty of water. P332+P313 If skin irritation occurs: Get medical advice/ attention. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P315 Get immediate medical advice/ attention. P501 Dispose of contents/ container in accordance with local regulations.
Contains	SODIUM (C12-14) ALKYL ETHOXY SULPHATE, ALCOHOL (C9-C11) ETHOXYLATE (6EO)

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

SECTION 3: Composition/information on ingredients

3.2. Mixtures			
2-BUTOXYETHANOL			10-15%
CAS number: 111-76-2	EC number: 203-905-0		
Classification			
Acute Tox. 4 - H302			
Acute Tox. 4 - H312			
Acute Tox. 4 - H332			
Skin Irrit. 2 - H315			
Eye Irrit. 2 - H319			
SODIUM (C12-14) ALKYL ETHC	XY SULPHATE		5-10%
CAS number: 68891-38-3	EC number: 500-234-8	REACH registration number: 01-	
		2119488639-16-0020	
Spec Conc Limits :- Eye Dam. 1	(H318) >=30%, Eye Irrit. 2 (H319) >10%	<30%, NC (Not Classified) <=10%	
Classification			
Skin Irrit. 2 - H315			
Eye Dam. 1 - H318			
Aquatic Chronic 3 - H412			

ALCOHOL (C9-C11) ETHO	XYLATE (6EO)	3-5%
CAS number: 68439-46-3		
Alternative CAS No 68439-4	15-2	
Classification Acute Tox. 4 - H302		
Eye Dam. 1 - H318		
2-AMINOETHANOL		1-3%
CAS number: 141-43-5	EC number: 205-483-3	REACH registration number: 01- 2119486455-28
Spec Conc Limits :- STOT S	SE 3 (H335) ≥ 5%	
Classification		
Acute Tox. 4 - H302		
Acute Tox. 4 - H312		
Acute Tox. 4 - H332		
Skin Corr. 1B - H314		
Eye Dam. 1 - H318		
STOT SE 3 - H335		
Aquatic Chronic 3 - H412		
LIMONENE		0.1-1%
CAS number: 5989-27-5	EC number: 227-813-5	
M factor (Chronic) = 1		
Flam. Liq. 3 - H226 Skin Irrit. 2 - H315		
Skin Sens. 1 - H317		
Asp. Tox. 1 - H304		
Aquatic Chronic 1 - H410		
The Full Text for all R-Phrase	es and Hazard Statements are Displayed in Section	16.
SECTION 4: First aid measu	res	
4.1. Description of first aid me	easures	
Inhalation	If spray/mist has been inhaled, proceed as follov keep warm and at rest in a position comfortable	-
Ingestion	Do not induce vomiting. Give plenty of water to c	drink. Get medical attention.
Skin contact	Wash with plenty of water. Get medical attention	if irritation persists after washing.
Eye contact	Rinse immediately with plenty of water. Remove apart. Continue to rinse. Get medical attention in	
4.2. Most important symptom	is and effects, both acute and delayed	
General information	The severity of the symptoms described will vary length of exposure.	v dependent on the concentration and the
Inhalation	Irritation of nose, throat and airway.	

Revision: 8

MYSTROL

Ingestion	May cause discomfort if swallowed.	
Skin contact	Causes skin irritation. Prolonged and frequent contact may cause redness and irritation.	
Eye contact	Severe irritation, burning and tearing. Prolonged contact causes serious eye and tissue damage.	
4.3. Indication of any immedia	te medical attention and special treatment needed	
Notes for the doctor	Treat symptomatically.	
SECTION 5: Firefighting meas	sures	
5.1. Extinguishing media		
Suitable extinguishing media	The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire.	
5.2. Special hazards arising fro	om the substance or mixture	
Specific hazards	Thermal decomposition or combustion products may include the following substances: Irritating gases or vapours.	
5.3. Advice for firefighters		
Special protective equipment for firefighters	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.	
SECTION 6: Accidental releas	e measures	
6.1. Personal precautions, pro	tective equipment and emergency procedures	
Personal precautions	Wear protective clothing, gloves, eye and face protection. For personal protection, see Section 8.	
6.2. Environmental precaution	<u>S</u>	
Environmental precautions	Spillages or uncontrolled discharges into watercourses must be reported immediately to the Environmental Agency or other appropriate regulatory body.	
6.3. Methods and material for	containment and cleaning up	
Methods for cleaning up	Small Spillages: Flush away spillage with plenty of water. Large Spillages: Contain and absorb spillage with sand, earth or other non-combustible material. Collect and place in suitable waste disposal containers and seal securely.	
6.4. Reference to other section	15	
Reference to other sections	For personal protection, see Section 8.	
SECTION 7: Handling and sto	rage	
7.1. Precautions for safe hand	ling	
Usage precautions	Wear protective clothing, gloves, eye and face protection.	
7.2. Conditions for safe storag	e, including any incompatibilities	
Storage precautions	Keep only in the original container in a cool, well-ventilated place. Store away from the following materials: Oxidising materials.	
7.3. Specific end use(s)		
Specific end use(s)	The identified uses for this product are detailed in Section 1.2.	
Usage description	See Product Information Sheet & Label for detailed use of this product.	
SECTION 8: Exposure controls/Personal protection		
8 1 Control parameters		

8.1. Control parameters

Occupational exposure limits

2-BUTOXYETHANOL

Long-term exposure limit (8-hour TWA): WEL 25 ppm 123 mg/m³ Short-term exposure limit (15-minute): WEL 50 ppm 246 mg/m³ Sk

2-AMINOETHANOL

Long-term exposure limit (8-hour TWA): WEL 1 ppm 2.5 mg/m³ Short-term exposure limit (15-minute): WEL 3 ppm 7.6 mg/m³ Sk

WEL = Workplace Exposure Limit. Sk = Can be absorbed through skin.

Sk = Can be absorbed through skin.Sk = Can be absorbed through the skin.

8.2. Exposure controls

Protective equipment



Appropriate engineering controls	Not relevant.
Eye/face protection	Wear eye protection.
Hand protection	Wear protective gloves. (Household rubber gloves.)
Other skin and body protection	Wear appropriate clothing to prevent any possibility of skin contact.
Respiratory protection	Respiratory protection not required.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	Clear liquid.
Colour	Fluorescent. Yellow.
Odour	Citrus.
рН	pH (concentrated solution): 11.50
Melting point	-2°C
Initial boiling point and range	100°C @ 760 mm Hg
Flash point	Boils without flashing.
Relative density	1.002 @ 20°C
Solubility(ies)	Soluble in water.
9.2. Other information	
Other information	None.
SECTION 10: Stability and reactivity	
10.1 Reactivity	

10.1. Reactivity

Reactivity

There are no known reactivity hazards associated with this product.

10.2. Chemical stability

Revision: 8

MYSTROL

04-1-11-14-	
Stability	No particular stability concerns.
10.3. Possibility of hazardous r	reactions
Possibility of hazardous reactions	See sections 10.1,10.4 & 10.5
10.4. Conditions to avoid	
Conditions to avoid	There are no known conditions that are likely to result in a hazardous situation.
10.5. Incompatible materials	
Materials to avoid	No specific material or group of materials is likely to react with the product to produce a hazardous situation.
10.6. Hazardous decompositio	n products
Hazardous decomposition products	No known hazardous decomposition products.
SECTION 11: Toxicological inf	ormation
11.1. Information on toxicologic	cal effects
Toxicological effects	We have not carried out any animal testing for this product. Any ATE figures quoted below are from Toxicity Classifications that have been carried out using ATE (Acute Toxicity Estimate) Calculation Method using LD50 or ATE figures provided by the Raw Material Manufacturer.
Other health effects	Low oral toxicity, but ingestion may cause irritation of the gastro-intestinal tract.
Acute toxicity - oral	
Notes (oral LD₅₀)	Based on available data the classification criteria are not met.
ATE oral (mg/kg)	6,884.98
Acute toxicity - dermal	
Notes (dermal LD₅₀)	Based on available data the classification criteria are not met.
ATE dermal (mg/kg)	7,469.72
Acute toxicity - inhalation	
Notes (inhalation LC ₅₀)	Based on available data the classification criteria are not met.
ATE inhalation (vapours mg/l)	75.32
SECTION 12: Ecological inform	nation
Ecotoxicity	Harmful to aquatic life with long lasting effects.
12.1. Toxicity	
Toxicity	We have not carried out any Aquatic testing, therefore we have no Aquatic Toxicity Data specifically for this product. The Aquatic Toxicity Data, where provided by the raw material manufacturer for ingredients with aquatic toxicity, can be made available on request.
12.2. Persistence and degradability	
Persistence and degradability	The surfactant(s) contained in this product complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents.
12.3. Bioaccumulative potentia	<u>I</u>
Bioaccumulative potential	The product does not contain any substances expected to be bioaccumulating.
12.4. Mobility in soil	

Revision: 8

MYSTROL

Mobility	Not known.	
12.5. Results of PBT and vPv	B assessment	
Results of PBT and vPvB assessment	This product does not contain any substances classified as PBT or vPvB.	
12.6. Other adverse effects		
Other adverse effects	Not known.	
SECTION 13: Disposal consid	Jerations	
13.1. Waste treatment method	ds	
Disposal methods	Discharge used solutions to drain. Small amounts (less than 5 Litres) of unwanted product may be flushed with water to sewer. Larger volumes must be sent for disposal by approved waste contractor. Rinse out empty container with water and consign to normal waste.	
SECTION 14: Transport inform	mation	
General	Not classified for Transport.	
14.1. UN number		
14.2. UN proper shipping nam	16	
14.3. Transport hazard class(es)	
14.4. Packing group		
14.5. Environmental hazards		
14.6. Special precautions for user		
14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code		
SECTION 15: Regulatory info	rmation	
15.1. Safety, health and envir	onmental regulations/legislation specific for the substance or mixture	
EU legislation	Safety Data Sheet prepared in accordance with REACH Commission Regulation (EU) No 2015/830 (which amends Regulation (EC) No 453/2010 & 1907/2006). The product is as classified under GHS/CLP- Regulation (EC) No 1272/2008 classification, labelling & packaging of substances & mixtures. Ingredients are listed with classification under GHS/CLP - Regulation (EC) No 1272/2008 classification, classification, labelling & packaging of substances & mixtures.	
15.2. Chemical safety assessment		
No chemical safety assessment has been carried out as not applicable as this product is a mixture.		
SECTION 16: Other information	on	
Abbreviations and acronyms	PBT: Persistent, Bioaccumulative and Toxic substance.	

PBT: Persistent, Bioaccumulative and Toxic substance.
vPvB: Very Persistent and Very Bioaccumulative.
ATE: Acute Toxicity Estimate.
REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation
(EC) No 1907/2006.
GHS: Globally Harmonized System.
Spec Conc Limits = Specific Concentration Limits.

Classification abbreviations and acronyms	Acute Tox. = Acute toxicity Aquatic Chronic = Hazardous to the aquatic environment (chronic) Eye Dam. = Serious eye damage Eye Irrit. = Eye irritation Flam. Liq. = Flammable liquid Skin Corr. = Skin corrosion Skin Irrit. = Skin irritation STOT SE = Specific target organ toxicity-single exposure
Key literature references and sources for data	Material Safety Data Sheet, Miscellaneous manufacturers. CLP Class - Table 3.1 List of harmonised classification and labelling of hazardous substances. ECHA - C&L Inventory database.
Classification procedures according to Regulation (EC) 1272/2008	Calculation Method.
Revision comments	Change of Address. & Addition of national emergency telephone number.
Revision date	12/01/2021
Revision	8
SDS status	The Hazard Statements listed below in this Section No 16 relate to the Raw Materials (Ingredients) in the Product (as listed in Section 3) and NOT the product itself. For the Hazard Statements relating to this Product see Section 2.
Hazard statements in full	 H226 Flammable liquid and vapour. H302 Harmful if swallowed. H304 May be fatal if swallowed and enters airways. H312 Harmful in contact with skin. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H332 Harmful if inhaled. H335 May cause respiratory irritation. H410 Very toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects.

EUH208 Contains LIMONENE. May produce an allergic reaction.