



## SAFETY DATA SHEET CRUSADER COLOURSAFE OXY POWDER

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

<b>Product name</b>	CRUSADER COLOURSAFE OXY POWDER
<b>Product number</b>	C046 EV
<b>Internal identification</b>	Professional Hygiene
<b>UFI</b>	UFI: XQWN-Q012-500D-83XF

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

<b>Identified uses</b>	Powdered Bleaching agent for Laundry industry
------------------------	---

#### 1.3. Details of the supplier of the safety data sheet

<b>Supplier</b>	UK Supplier:	EU Supplier:
	Evans Vanodine International plc	Evans Vanodine Europe
	Brierley Road,	6-9 Trinity Street, Dublin 2.
	Walton Summit,	D02 EY47.
	Preston. UK. PR5 8AH	Republic of Ireland.
	Tel: 01772 322 200	
	e-mail: <a href="mailto:productcompliance@evansvanodine.co.uk">productcompliance@evansvanodine.co.uk</a>	

#### 1.4. Emergency telephone number

<b>Emergency telephone</b>	New Safety Data Sheets - 01772 322 200 - Mon to Thur. 8.30am to 4.30pm - Fri 8.30am to 1.30pm (Also available 24/7 from our website <a href="http://www.evansvanodine.co.uk">www.evansvanodine.co.uk</a> ) For Technical Advice about this SDS - 01772 318 818 - Mon to Thur 8.30am to 4.45pm - Fri 8.30am to 1.30pm
----------------------------	--

<b>National emergency telephone number</b>	For Health Care Professionals only - For use in UK: Contact the National Poisons Information Service for further advice. For use in the Republic of Ireland: To report a poisoning incident contact The National Poisons Information Centre, Beaumont Hospital, Dublin (01-8092166). For use in Malta: Emergency services (Ambulance, Fire and Rescue, Police) : 112
--	---

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification (SI 2019 No. 720)

<b>Physical hazards</b>	Ox. Sol. 3 - H272
<b>Health hazards</b>	Acute Tox. 4 - H302 Skin Irrit. 2 - H315 Eye Dam. 1 - H318
<b>Environmental hazards</b>	Not Classified

#### 2.2. Label elements

##### Hazard pictograms



## CRUSADER COLOURSAFE OXY POWDER

<b>Signal word</b>	Danger
<b>Hazard statements</b>	H272 May intensify fire; oxidiser. H302 Harmful if swallowed. H315 Causes skin irritation. H318 Causes serious eye damage.
<b>Precautionary statements</b>	P102 Keep out of reach of children. P261 Avoid breathing dust. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P270 Do not eat, drink or smoke when using this product. P220 Keep away from combustible materials. P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P315 Get immediate medical advice/ attention. P402+P404 Store in a dry place. Store in a closed container. P501 Dispose of contents/ container in accordance with local regulations.
<b>Contains</b>	SODIUM PERCARBONATE PEROXYHYDRATE, DISODIUM METASILICATE

### 2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB. Including - Endocrine disrupting properties: None known.

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

<b>SODIUM PERCARBONATE PEROXYHYDRATE</b>	<b>60-100%</b>
CAS number: 15630-89-4	
<b>Classification</b>	
Ox. Sol. 2 - H272	
Acute Tox. 4 - H302	
Eye Dam. 1 - H318	
<b>DISODIUM METASILICATE</b>	<b>3-5%</b>
CAS number: 6834-92-0                      EC number: 229-912-9	
<b>Classification</b>	
Skin Corr. 1B - H314	
Eye Dam. 1 - H318	
STOT SE 3 - H335	

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

<b>Inhalation</b>	Move affected person to fresh air at once. Get medical attention if any discomfort continues.
<b>Ingestion</b>	Do not induce vomiting. Rinse mouth thoroughly with water. Give plenty of water to drink. Get medical attention immediately.

## CRUSADER COLOURSAFE OXY POWDER

<b>Skin contact</b>	Wash with plenty of water. Get medical attention if irritation persists after washing.
<b>Eye contact</b>	Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide apart. Continue to rinse. Get medical attention immediately.

### **4.2. Most important symptoms and effects, both acute and delayed**

<b>General information</b>	The severity of the symptoms described will vary dependent on the concentration and the length of exposure.
<b>Inhalation</b>	Irritation of nose, throat and airway.
<b>Ingestion</b>	May cause discomfort if swallowed.
<b>Skin contact</b>	Skin irritation. Prolonged skin contact may cause redness and irritation.
<b>Eye contact</b>	Severe irritation, burning and tearing. Prolonged contact causes serious eye and tissue damage.

### **4.3. Indication of any immediate medical attention and special treatment needed**

<b>Notes for the doctor</b>	Treat symptomatically.
-----------------------------	------------------------

## **SECTION 5: Firefighting measures**

### **5.1. Extinguishing media**

<b>Suitable extinguishing media</b>	Oxidising - Supports combustion. Extinguish with the following media: Water spray. Foam, carbon dioxide or dry powder.
-------------------------------------	--

### **5.2. Special hazards arising from the substance or mixture**

<b>Specific hazards</b>	Thermal decomposition or combustion products may include the following substances: Harmful gases or vapours. May intensify fire; oxidiser.
-------------------------	--

### **5.3. Advice for firefighters**

<b>Special protective equipment for firefighters</b>	Keep containers cool by spraying with water to reduce explosion risks. Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.
--	--

## **SECTION 6: Accidental release measures**

### **6.1. Personal precautions, protective equipment and emergency procedures**

<b>Personal precautions</b>	Avoid inhalation of dust. Wear protective clothing, gloves, eye and face protection. For personal protection, see Section 8.
-----------------------------	--

### **6.2. Environmental precautions**

<b>Environmental precautions</b>	Spillages or uncontrolled discharges into watercourses must be reported immediately to the Environmental Agency or other appropriate regulatory body.
----------------------------------	---

### **6.3. Methods and material for containment and cleaning up**

<b>Methods for cleaning up</b>	Small Spillages: Flush away spillage with plenty of water. Large Spillages: Contain and absorb spillage with sand, earth or other non-combustible material. Collect and place in suitable waste disposal containers and seal securely.
--------------------------------	--

### **6.4. Reference to other sections**

<b>Reference to other sections</b>	For personal protection, see Section 8.
------------------------------------	---

## **SECTION 7: Handling and storage**

### **7.1. Precautions for safe handling**

## CRUSADER COLOURSAFE OXY POWDER

**Usage precautions** Wear protective clothing, gloves, eye and face protection. Avoid inhalation of dust. Never add water directly to this product as it may cause a vigorous reaction or boiling. Always dilute by carefully pouring the product into water.

### 7.2. Conditions for safe storage, including any incompatibilities

**Storage precautions** Keep away from flammable and combustible materials. Store in tightly-closed, original container in a dry, cool and well-ventilated place. Store away from the following materials:  
Acids.

### 7.3. Specific end use(s)

**Specific end use(s)** The identified uses for this product are detailed in Section 1.2.

**Usage description** See Product Information Sheet & Label for detailed use of this product.

## SECTION 8: Exposure controls/Personal protection

### 8.1. Control parameters

**Ingredient comments** No exposure limits known for ingredient(s).

### 8.2. Exposure controls

#### Protective equipment



**Appropriate engineering controls** Use mechanical ventilation if there is a risk of handling causing formation of airborne dust.

**Eye/face protection** The following protection should be worn: Chemical splash goggles or face shield.

**Hand protection** Wear protective gloves. (Household rubber gloves.)

**Other skin and body protection** Wear appropriate clothing to prevent any possibility of skin contact.

**Respiratory protection** Respiratory protection not required.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

<b>Appearance</b>	Granules. Powder.
<b>Colour</b>	White/off-white.
<b>Odour</b>	Odourless.
<b>pH</b>	pH (diluted solution): 10.00-11.00 @1%
<b>Melting point</b>	Not applicable.
<b>Initial boiling point and range</b>	Not applicable.
<b>Flash point</b>	Not applicable.
<b>Flammability (solid, gas)</b>	Not applicable.
<b>Upper/lower flammability or explosive limits</b>	Not applicable.
<b>Vapour pressure</b>	Not applicable.
<b>Vapour density</b>	Not applicable.

## CRUSADER COLOURSAFE OXY POWDER

<b>Relative density</b>	Not applicable.
<b>Solubility(ies)</b>	Soluble in water.
<b>Partition coefficient</b>	Not applicable.
<b>Auto-ignition temperature</b>	Not available.
<b>Decomposition Temperature</b>	Not available.
<b>Viscosity</b>	Not applicable.
<b>Oxidising properties</b>	May intensify fire; oxidiser.

### 9.2. Other information

<b>Other information</b>	None.
<b>Particle size</b>	Not available.

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

<b>Reactivity</b>	The following materials may react with the product: Strong acids. Flammable/combustible materials. Oxidising agents. Reducing agents. May intensify fire; oxidiser. The product will harden into a solid mass in contact with water and moisture.
-------------------	---

### 10.2. Chemical stability

<b>Stability</b>	No particular stability concerns.
------------------	-----------------------------------

### 10.3. Possibility of hazardous reactions

<b>Possibility of hazardous reactions</b>	See sections 10.1,10.4 & 10.5
---	-------------------------------

### 10.4. Conditions to avoid

<b>Conditions to avoid</b>	The product will harden into a solid mass in contact with water and moisture.
----------------------------	---

### 10.5. Incompatible materials

<b>Materials to avoid</b>	Strong acids.
---------------------------	---------------

### 10.6. Hazardous decomposition products

<b>Hazardous decomposition products</b>	No known hazardous decomposition products.
---	--

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

<b>Toxicological effects</b>	We have not carried out any animal testing for this product. Any ATE figures quoted below are from Toxicity Classifications that have been carried out using ATE (Acute Toxicity Estimate) Calculation Method using LD50 or ATE figures provided by the Raw Material Manufacturer.
------------------------------	--

#### Acute toxicity - oral

<b>Notes (oral LD<sub>50</sub>)</b>	Classification criteria has been met – Product is classified as Harmful if Swallowed.
-------------------------------------	---

<b>ATE oral (mg/kg)</b>	1,292.5
-------------------------	---------

#### Acute toxicity - dermal

<b>Summary</b>	Not applicable.
----------------	-----------------

#### Acute toxicity - inhalation

<b>Summary</b>	Not applicable.
----------------	-----------------

## CRUSADER COLOURSAFE OXY POWDER

### Skin corrosion/irritation

**Skin corrosion/irritation** Causes skin irritation.

### Serious eye damage/irritation

**Serious eye damage/irritation** Causes serious eye damage.

### Respiratory sensitisation

**Summary** Not applicable.

### Skin sensitisation

**Summary** Not applicable.

### Germ cell mutagenicity

**Summary** Not applicable.

### Carcinogenicity

**Summary** Not applicable.

### Reproductive toxicity

**Summary** Not applicable.

### Specific target organ toxicity - single exposure

**Summary** Not applicable.

### Specific target organ toxicity - repeated exposure

**Summary** Not applicable.

### Aspiration hazard

**Summary** Not applicable.

11.2 Information on other Hazards 11.2.1 Endocrine disrupting properties

None known.

## SECTION 12: Ecological information

**Ecotoxicity** Potentially hazardous due to the alkalinity of the product.

### 12.1. Toxicity

**Toxicity** We have not carried out any Aquatic testing, therefore we have no Aquatic Toxicity Data specifically for this product. The Aquatic Toxicity Data, where provided by the raw material manufacturer for ingredients with aquatic toxicity, can be made available on request.

### 12.2. Persistence and degradability

**Persistence and degradability** The product is not expected to be biodegradable.

### 12.3. Bioaccumulative potential

**Bioaccumulative potential** The product does not contain any substances expected to be bioaccumulating.

**Partition coefficient** Not applicable.

### 12.4. Mobility in soil

**Mobility** Not known.

### 12.5. Results of PBT and vPvB assessment

## CRUSADER COLOURSAFE OXY POWDER

**Results of PBT and vPvB assessment** This product does not contain any substances classified as PBT or vPvB.

**12.6 Endocrine disrupting properties** None known.

### 12.6. Other adverse effects

**Other adverse effects** Now section 12.7: None known.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

**Disposal methods** Discharge used solutions to drain. Small amounts (less than 5 Litres) of unwanted product may be flushed with water to sewer. Larger volumes must be sent for disposal as special waste. Rinse out empty container with water and consign to normal waste.

## SECTION 14: Transport information

### 14.1. UN number

**UN No. (ADR/RID)** 3085

**UN No. (IMDG)** 3085

**UN No. (ICAO)** 3085

### 14.2. UN proper shipping name

**Proper shipping name (ADR/RID)** OXIDIZING SOLID, CORROSIVE, N.O.S. (sodium carbonate peroxyhydrate and disodium trioxosilicate)

**Proper shipping name (IMDG)** OXIDIZING SOLID, CORROSIVE, N.O.S. (sodium carbonate peroxyhydrate and disodium trioxosilicate)

**Proper shipping name (ICAO)** OXIDIZING SOLID, CORROSIVE, N.O.S. (sodium carbonate peroxyhydrate and disodium trioxosilicate)

### 14.3. Transport hazard class(es)

**ADR/RID class** Division 5.1: Oxidizing substances.

**ADR/RID subsidiary risk** Class 8 : Corrosive Substances.

**ADR/RID label** 5.1 & 8


**IMDG class** Division 5.1: Oxidizing substances.

**IMDG subsidiary risk** Class 8 : Corrosive Substances.

**ICAO class/division** Division 5.1: Oxidizing substances.

**ICAO subsidiary risk** Class 8 : Corrosive Substances.

### Transport labels



### 14.4. Packing group

**ADR/RID packing group** II

**IMDG packing group** II

**ICAO packing group** II

## CRUSADER COLOURSAFE OXY POWDER

### 14.5. Environmental hazards

**Environmentally hazardous substance/marine pollutant**

No.

### 14.6. Special precautions for user

**EmS** F-A, S-Q

**Tunnel restriction code** (E)

### 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code** Not relevant. for a packaged product.

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

**EU legislation** Safety Data Sheet prepared in accordance with EU Regulation: "REACH Commission Regulation (EU) No 2020/878 (which amends Regulation (EC) No 2015/830, 453/2010 & 1907/2006)." and UK Regulation: "SI 2020 No. 1577 - The REACH etc. (Amendment etc.) (EU Exit) Regulations 2020".

The product is as classified under - EU GHS: CLP - "Regulation (EC) No 1272/2008 classification, labelling & packaging of substances & mixtures." and UK GHS: "SI 2020 No. 1567 - The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2020".

Ingredients are listed with classification under - EU GHS: CLP - "Regulation (EC) No 1272/2008 classification, labelling & packaging of substances & mixtures." and UK GHS: "SI 2020 No. 1567 - The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2020".

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out as not applicable as this product is a mixture.

## SECTION 16: Other information

**Abbreviations and acronyms used in the safety data sheet** PBT: Persistent, Bioaccumulative and Toxic substance.  
vPvB: Very Persistent and Very Bioaccumulative.  
ATE: Acute Toxicity Estimate.  
ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.  
IMDG: International Maritime Dangerous Goods.  
ICAO: Technical Instructions for the Safe Transport of Dangerous Goods by Air.  
REACH: The REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577.  
GHS: Globally Harmonized System.

**Classification abbreviations and acronyms** Acute Tox. = Acute toxicity  
Eye Dam. = Serious eye damage  
Ox. Sol. = Oxidising solid  
Skin Corr. = Skin corrosion  
Skin Irrit. = Skin irritation  
STOT SE = Specific target organ toxicity-single exposure

**Key literature references and sources for data** Material Safety Data Sheet, Miscellaneous manufacturers. CLP Class - Table 3.1 List of harmonised classification and labelling of hazardous substances. ECHA - C&L Inventory database.



## CRUSADER COLOURSAFE OXY POWDER

<b>Classification procedures according to SI 2019 No. 720</b>	Calculation Method.
<b>Revision comments</b>	New Format Safety Data Sheet prepared in accordance with REACH Commission Regulation (EU) No 2020/878 (which amends Regulation (EC) No 453/2010 & 1907/2006). - No change in Product Classification. (Changes made to sections 2,3,9,11,12,15+16)
<b>Revision date</b>	10/12/2022
<b>Revision</b>	14
<b>SDS status</b>	The Hazard Statements listed below in this Section No 16 relate to the Raw Materials (Ingredients) in the Product (as listed in Section 3) and NOT the product itself. For the Hazard Statements relating to this Product see Section 2.
<b>Hazard statements in full</b>	H272 May intensify fire; oxidiser. H302 Harmful if swallowed. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H318 Causes serious eye damage. H335 May cause respiratory irritation.