

<https://www.stormguard.co.uk>



A T T H E F R O N T O F
W E A T H E R P R O T E C T I O N

Need some help? Call Stormguard on:


01625 613 311 (tel:01625613311)

Dry X Winterbar

Home (<https://www.stormguard.co.uk>) > Stormguard Products (<https://www.stormguard.co.uk/stormguard-products/>) > Dry X Winterbar



Additional Images



DRY X WINTERBAR

Suitable for inward opening doors

04SR358 (Available in retail and contract packaging)

- 2 part very high performance threshold
- Designed for use in 44mm flush doors
- Hard wearing Q Lon front seal and Rio centre seal
- Seals gaps 23mm-28mm
- Pre-drilled drainage and fixing holes



Additional Information

Colours



Gold Effect Aluminium



Matt Silver (Dull)

Sizes

- 844mm, 920mm, 1000mm, 1219mm, up to 3053mm

Fixing

Click the icon for fitting instructions:  (<https://www.stormguard.co.uk/media/04SR358-FITTING.pdf>)

Spares

- 21CP421: Front Seal
- 21CP422: Centre Seal
- SC-0563: Fixing Screws (Bottom Section)
- SC-0573: Fixing Screws (Top Section)
- 22CP395: Edge Covers

Related Categories

[Threshold Sills](#) [General](#) [Inward Opening](#)

<https://www.stormguard.co.uk>



A T T H E F R O N T O F W E A T H E R
P R O T E C T I O N

© Stormguard 2020 Allmand-Smith Limited T/A stormguard.co.uk. All Rights Reserved.

Company Registration Name: Allmand-Smith Ltd | Company Registration Number: 960001 | VAT Registration Number: GB 298 8805 82

Registered Address: The Stormguard Group, Regency Mill, Chester Road, Macclesfield, Cheshire, SK11 8HR

[Cookies Policy \(https://www.stormguard.co.uk/cookies-privacy-policy/\)](https://www.stormguard.co.uk/cookies-privacy-policy/) | Website development: