

SAFETY DATA SHEET OPTIMUM HOT GRIDDLE CLEANER

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name OPTIMUM HOT GRIDDLE CLEANER

Product number OPTK40

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Detergent. For professional use only.

Uses advised against Not for direct contact with Food or Beverage stuffs. Not for oral consumption.

1.3. Details of the supplier of the safety data sheet

Supplier UK - Holchem Laboratories Ltd. Gateway House, Pilsworth Road,

Bury, BL9 8RD

Tel: +44 (0) 1706 222288; e-mail info@holchem.co.uk EU - Kersia Deutschland GmbH, Marie-Curie-Straße 23

53332 Bornheim - Sechtem

1.4. Emergency telephone number

Emergency telephone Emergency Information:-

For accidents and spillages involving this product that pose a threat to the environment, or

human health, or require immediate first aid advice call:- +44(0) 1865 407333.

Note:- This number will not accept order queries or calls dealing with equipment breakdowns. This product is registered with the NPIS. UK Environment Agency 24hour Advisory Service 0800 807060. Irish Environmental Protection Agency 1890 335599 (This is a Lo Call Number) This product is registered with the Irish National Poison Centre (NPIC at Beaumont Hospital - Dublin). The Poison Centre can be contacted between 8am and 10pm, telephone +00353 1

8092566.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical hazards Not Classified

Health hazards Skin Irrit. 2 - H315 Eye Irrit. 2 - H319

Environmental hazards Not Classified

2.2. Label elements

Hazard pictograms



Signal word Warning

Hazard statements H315 Causes skin irritation.

H319 Causes serious eye irritation.

OPTIMUM HOT GRIDDLE CLEANER

Precautionary statements P280 Wear protective clothing.

P302+P352 IF ON SKIN: Wash with plenty of water.

P332+P313 If skin irritation occurs: Get medical advice/ attention.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. P337+P313 If eye irritation persists: Get medical advice/ attention.

P404 Store in a closed container.

Supplementary precautionary P501 Dispose of contents/ container in accordance with national regulations.

statements

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

POTASSIUM CARBONATE 10-30%

CAS number: 584-08-7 EC number: 209-529-3 REACH registration number: 01-

2119532646-36-XXXX

Classification

Acute Tox. 4 - H302 Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 STOT SE 3 - H335

MONOPROPYLENE GLYCOL 5-10%

CAS number: 57-55-6 EC number: 200-338-0 REACH registration number: 01-

2119456809-23-XXXX

Classification

Not Classified

DIPROPYLENE GLYCOL METHYL ETHER (DPM)

5-10%

CAS number: 34590-94-8 EC number: 252-104-2 REACH registration number: 01-

2119450011-60-XXXX

Classification

Not Classified

The full text for all hazard statements is displayed in Section 16.

Composition comments To the best of our knowledge, all of the substances used in this product are being supported

for the relevent application in REACH.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information For immediate First Aid advice in the UK, dial 111. When it is safe to do so, remove victim

immediately from source of exposure. However, consideration should be given as to whether

moving the victim will cause further injury.

OPTIMUM HOT GRIDDLE CLEANER

Inhalation Remove affected person from source of contamination. Move affected person to fresh air and

keep warm and at rest in a position comfortable for breathing. If breathing stops, provide

artificial respiration. Get medical attention if any discomfort continues.

Ingestion Do not induce vomiting. Rinse mouth thoroughly with water. Place unconscious person on the

side in the recovery position and ensure breathing can take place. Get medical attention.

Skin contact Remove contaminated clothing that is not stuck to the skin. Flush area with clean water. Get

medical attention if any discomfort continues.

Eye contact Remove any contact lenses and open eyelids wide apart. Rinse immediately with plenty of

water. Continue to rinse for at least 15 minutes and get medical attention.

4.2. Most important symptoms and effects, both acute and delayed

General information Neat product may cause irritation to skin and eyes. Dilute chemical may result in mild

irritation to skin. Contact of dilute chemical with eyes should still be treated as outlined above.

Inhalation Unlikely route of exposure. Inhalation of sprayed droplets may result in soreness of the throat,

mouth and nose.

Ingestion Unlikely route of exposure without deliberate abuse. If neat chemical is ingested, irritation of

the mouth, throat and GI tract may occur. If dilute chemical is ingested some soreness of the

mouth, throat and GI tract may occur.

Skin contact Prolonged or repeated contact with skin may cause irritation, redness and dermatitis.

Chemical burns are possible after prolonged contact.

Eye contact May cause irritation to the eyes. May result in permanent eye damage.

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor Rinse well with water to neutral pH.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media The product is non-combustible. Use fire-extinguishing media suitable for the surrounding fire.

5.2. Special hazards arising from the substance or mixture

Specific hazards On heating irritating fumes may be formed.

5.3. Advice for firefighters

Protective actions during

firefighting

Protective clothing and respiratory protection should be worn when tackling fires involving this product. Control run-off water by containing and keeping it out of sewers and watercourses.

Special protective equipment

for firefighters

Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Wear protective clothing as described in Section 8 of this safety data sheet.

6.2. Environmental precautions

Environmental precautions Spillages or uncontrolled discharges into watercourses must be reported immediately to the

Environmental Agency or other appropriate regulatory body. Avoid or minimise the creation of

any environmental contamination.

6.3. Methods and material for containment and cleaning up

OPTIMUM HOT GRIDDLE CLEANER

Methods for cleaning up Stop leak if possible without risk. Absorb in vermiculite, dry sand or earth and place into

containers. Collect and place in suitable waste disposal containers and seal securely. For waste disposal, see Section 13. Containers with collected spillage must be properly labelled

with correct contents and hazard symbol.

6.4. Reference to other sections

Reference to other sections See sections 8,12 & 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions Wear suitable protective equipment for prolonged exposure and/or high concentrations of

vapours, spray or mist. Read and follow manufacturer's recommendations.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Keep container tightly closed. Keep only in the original container. Store in a demarcated

bunded area to prevent release to drains and/or watercourses.

7.3. Specific end use(s)

Specific end use(s) Detergent, refer to Product Information Sheet for full details.

Usage description This product is suitable for use in food preparation areas

SECTION 8: Exposure controls/Personal protection

8.1. Control parameters

Occupational exposure limits

MONOPROPYLENE GLYCOL

Long-term exposure limit (8-hour TWA): WEL 150 ppm 474 mg/m³ vapour

Long-term exposure limit (8-hour TWA): 10 mg/m3 particulates

DIPROPYLENE GLYCOL METHYL ETHER (DPM)

Long-term exposure limit (8-hour TWA): WEL 50 ppm 308 mg/m³

Sk

WEL = Workplace Exposure Limit.

Sk = Can be absorbed through the skin.

OPTIMUM HOT GRIDDLE CLEANER

Ingredient comments

Where an exposure level is quoted, a risk assessment should consider if there is a need to monitor the atmosphere of the working environment. Results should be compared against the WEL and/or DNEL information provided. The Long Term WEL refers to total exposure of a worker to a specific substance averaged out over an 8 hour period.

The Short Term WEL refers to a single exposure of a worker to a specific substance over a 15 minute period.

If the Short Term WEL is exceeded and no Long Term Limit is set, further exposure during the working shift is not permitted. Further controls should be implemented to ensure that future exposure to the substance is reduced below the levels set before the activity is repeated/continued. Where no Short Term WEL exists, guidance from the HSE is to use a value of three times the Long Term WEL.

The WEL limits are laid down in the EH40 list as supplied by the HSE. Where a worker is exposed to levels approaching a limit, further exposure control measures should be considered to reduce exposure to the substance. DNEL and/or PNEC information is supplied by manufacturers of substances in accordance with REACH legislation (Regulation (EC) No 1907/2006), and is used to provide suitable risk reduction measures to limit exposure of the user of the substance to a non hazardous level. If the measured level of exposure by a route divided by the DNEL for the route is greater than 1, then further exposure controls should be implemented as described in section 8.2. Where new information becomes available under REACH, this will be passed on as revisions to the Safety Data Sheet.

MONOPROPYLENE GLYCOL (CAS: 57-55-6)

DNEL Professional - Inhalation; Long term systemic effects: 168 mg/m³

Professional - Inhalation; Long term local effects: 10 mg/m³

PNEC - Fresh water; 260 mg/l

- marine water; 26 mg/l

Sediment (Freshwater); 572 mg/lSediment (Marinewater); 57.2 mg/l

Soil; 50 mg/kg dwtSTP; 20000 mg/l

SODIUM C14-C17 SECONDARY ALKYL SULPHONATE (CAS: 97489-15-1)

DNEL Professional - Dermal; Short term local effects: 2,8 mg/cm2

Professional - Dermal; Long term systemic effects: 5mg/Kg bw/day Professional - Inhalation; Long term systemic effects: 35mg/m3

- Dermal; Long term local effects: 2.8 mg/cm²

Sediment (Marinewater); 0.94 mg/kg dw

- Soil; 9.4mg/Kg dw

- Intermittent release; 0.06mg/l

- Sediment (Freshwater); 9.4 mg/Kg dw

- Fresh water; 0.04mg/l

- STP; 600mg/l

- marine water; 0.004mg/l

8.2. Exposure controls

PNEC

Protective equipment





OPTIMUM HOT GRIDDLE CLEANER

Appropriate engineering

controls

Provide adequate general and local exhaust ventilation.

Personal protection The PPE indicated above is not a COSHH assessment. It represents PPE that should be

considered during the manufacture, distribution, use and final disposal stages of this product's life cycle. It is the responsibility of employers to conduct a COSHH/risk assessment to determine appropriate PPE levels. The information given below should be used to support this assessment. Where possible replace manual processes with automated or closed

processes to minimise contact with the product.

Eye/face protection The following protection should be worn: Chemical splash goggles. Refer to EN Standard 166

to select appropriate level of protection.

Other skin and body

protection

Provide eyewash station. Wear suitable protective clothing as protection against splashing or contamination. Reference to EN 13832 and EN 943 is useful when selecting footwear and

clothing.

Hygiene measures Promptly remove non-impervious clothing that has become contaminated, provided it is not

adhered to the skin. Wash contaminated clothing before reuse. Provide eyewash station and

safety shower.

Respiratory protectionNo specific recommendation made, but respiratory protection must be used if the general

level exceeds the Workplace Exposure Limit. In the case of dust or aerosol formation (eg spraying), or vapour from hot vessels, use respiratory protection with an approved filter (P2).

Environmental exposure

controls

Do not allow the substance to contaminate surface water/ground water. See points 6, 12 &13.

General Health and Safety

Measures.

Use solutions will have extreme pH and should be considered corrosive to skin. Use of gloves and eye protection is recommended. A full Risk Assessment should be carried out before handling any chemical(s). Risk Assessments should refer to COSHH, and any other relevant legislation or industry specific guidelines governing the use of chemicals. We recommend use of gloves and eye protection for normal use of this product.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance Clear liquid.

Colourless to pale yellow.

Odour Almost odourless.

Odour threshold Not applicable.

pH ~11.5

Melting point Not applicable.

Initial boiling point and range Not applicable.

Flash point Not applicable. Contains no Flammable Components

Evaporation rate Not applicable.

Evaporation factor Not applicable.

Flammability (solid, gas) Not applicable.

Upper/lower flammability or

explosive limits

Not applicable.

Other flammability Not applicable.

OPTIMUM HOT GRIDDLE CLEANER

Vapour pressure Not applicable.

Vapour density Not applicable.

Relative density 1.23 @ 20 Degrees C

Bulk density Not applicable.

Solubility(ies) Soluble in water.

Partition coefficient Not applicable. Not technically practical for mixtures.

Auto-ignition temperature Not applicable.

Decomposition Temperature Not applicable.

Viscosity Not determined.

Explosive properties Not applicable.

Explosive under the influence

of a flame

Not considered to be explosive.

Oxidising properties Not applicable. Contains no Oxidising Components.

9.2. Other information

Refractive index

Particle size

Not applicable.

Molecular weight

Not applicable.

Volatility

Not applicable.

Saturation concentration

Not applicable.

Critical temperature

Not applicable.

Volatile organic compound

Not applicable.

Explosive Properties Not Classified as Explosive

Storage Temperature Range +5 to 40 Degrees C

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity Not expected to react when correctly stored and used. Mixing with other chemicals may

produce unexpected reactions.

10.2. Chemical stability

Stable at normal ambient temperatures and when used as recommended. - See note 10.6.

10.3. Possibility of hazardous reactions

Possibility of hazardous

Refer to section 10.1.

reactions

10.4. Conditions to avoid

Conditions to avoid Avoid excessive heat for prolonged periods of time.

10.5. Incompatible materials

Materials to avoid Strong acids. Chlorinated detergents.

10.6. Hazardous decomposition products

OPTIMUM HOT GRIDDLE CLEANER

Hazardous decomposition

products

Does not decompose when used and stored as recommended. - See section 10.5.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity - oral

ATE oral (mg/kg) 5,000.0

Respiratory sensitisation

Respiratory sensitisationNo evidence of respiratory sensitisation for any component of this formulation.

Skin sensitisation

Skin sensitisation No evidence of skin sensitisation for any component of this formulation.

Carcinogenicity

Carcinogenicity The components of this formulation will not be systemically available in the body under normal

conditions of handling. As a consequence it is not expected to cause cancer.

Reproductive toxicity

Reproductive toxicity - fertility The components of this formulation will not be systemically available in the body under normal

conditions of use and handling. As a consequence it is not expected to be toxic to the

reproductive system or developing foetus.

General information See section 4.2.

Inhalation Unlikely route of exposure. Inhalation of sprayed droplets may result in soreness of the throat,

mouth and nose. - See section 4.2.

Ingestion Will cause severe irritation to mouth, throat and GI-Tract.

Skin contact Irritating to skin.

Eye contact Irritating to eyes. Irritating and may cause redness and pain. Risk of serious damage to eyes.

SECTION 12: Ecological information

Ecotoxicity The product components are not classified as environmentally hazardous. However, this does

not exclude the possibility that large or frequent spills can have a harmful or damaging effect

on the environment.

12.1. Toxicity

Acute aquatic toxicity

Acute toxicity - fish Normal use is unlikely to pose a hazard to the environment.

12.2. Persistence and degradability

Persistence and degradability The surfactant(s) used in this preparation complies (comply) with the biodegradability criteria

as laid down in the European Detergents Regulation No 648/2004 as amended.

12.3. Bioaccumulative potential

Bioaccumulative potential Not expected to bioaccumulate.

Partition coefficient Not applicable. Not technically practical for mixtures.

12.4. Mobility in soil

Mobility The product contains substances which are water soluble and may spread in water systems.

12.5. Results of PBT and vPvB assessment

OPTIMUM HOT GRIDDLE CLEANER

Results of PBT and vPvB

assessment

This product does not contain any substances classified as PBT or vPvB.

12.6. Other adverse effects

Other adverse effects Not determined.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

General information When handling waste, the safety precautions applying to handling of the product should be

considered. Disposal of this product, process solutions, residues and by-products should at all times comply with the requirements of environmental protection and waste disposal legislation

and any local authority requirements. Do not mix with other chemicals.

Disposal methods Small volumes of use solution can be disposed of to sewers.

SECTION 14: Transport information

General The product is not covered by international regulations on the transport of dangerous goods

(IMDG, IATA, ADR/RID).

14.1. UN number

Not applicable.

14.2. UN proper shipping name

Not applicable.

14.3. Transport hazard class(es)

No transport warning sign required.

14.4. Packing group

Not applicable.

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

14.6. Special precautions for user

Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78

and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Classification and Labelling of Chemicals (GB CLP) and considers UK National REACH

legislation.

EU legislation European Regulation (EC) No 1272/2008 (as amended) on Classification, Labelling and

Packaging of Substances and Mixtures.

Also considered is the REACH Regulation (EC) No.1907/2006 (as amended).

15.2. Chemical safety assessment

OPTIMUM HOT GRIDDLE CLEANER

Pcs Information

No chemical safety assessment has been carried out.

SECTION 16: Other information

Abbreviations and acronyms used in the safety data sheet

(EC) No. 1272/2008: EU Regulation on Classification, Labelling and Packaging of

Substances and Mixtures.

NPIS - National Poisons Information Service. vPvB - Very Persistent, Very bioaccumulative. PBT - Persistent, Bioaccumulative & Toxic.

REACH - Registration, Evaluation, Authorisation & restriction of CHemicals (Regulation EC

1907/2006).

DNEL - Derived No Effect Limit.

PNEC - Predicted No Effect Concentration.

COSHH - Control of Substances Hazardous to Health.

Industry - Refers in section 8 to application of the substance in an industrial process. Professional - Refers in section 8 to application/use of the preparation/product in a skilled

trade premises.

General information This document is a Safety Data Sheet, NOT a CoSHH assessment. It is the customer's

responsibility to conduct a full CoSHH assessment, taking into account the information held within this document along with other local factors considered in a risk assessment. The Risk and Hazard statements listed below are the full text of abbreviations used in this document.

They are not the final classification, for this refer to section 2.

Revision comments Amendment to the emergency phone number in Section 1.4.

Revision date 16/10/2021

SDS number 21001

Hazard statements in full H302 Harmful if swallowed.

H315 Causes skin irritation.

H319 Causes serious eye irritation. H335 May cause respiratory irritation.

REACH extended MSDS

comments

REACH requires that persons handling chemicals should take the necessary risk

management measures, in accordance with assessments from manufacturers and importers of chemical substances. The relevent recommendations must be passed along the supply

chain. These assessments are generally reported in Exposure Scenarios.

Where Exposure Scenarios have been provided for substances used in this product, the

relevent information is incorporated into the safety data sheet.

END OF SAFETY DATA

SHEET

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.